

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Champion Valve Oil - CHV1M

Version number: 1.0

First version: 2021-02-05

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier** UFI - 1NH4-70CE-D00H-CQ1V
- Trade name** Champion Valve Oil
- Registration number (REACH)** Not relevant (mixture).
- CAS number** not relevant (mixture)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses** Lubricating Oil for Musical Instruments
- 1.3 Details of the supplier of the safety data sheet**
- Barnes and Mullins Ltd, Telephone: 0044 (0)1691 652449  
Unit 14, Mile Oak Ind Estate, Telefax: 0044 (0)1691 655582  
SY10 8GA Oswestry, Shropshire  
United Kingdom
- e-mail (competent person)** Mark.taylor@bandm.co.uk
- 1.4 Emergency telephone number**  
As above or nearest toxicological information centre.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.10	aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

**Signal word** Danger

# Champion Valve Oil - CHV1M

## Pictograms

GHS08



## Hazard statements

**H304** May be fatal if swallowed and enters airways.

## Precautionary statements

**P101** If medical advice is needed, have product container or label at hand.

**P102** Keep out of reach of children.

**P103** Read carefully and follow all instructions.

**P301+P310** IF SWALLOWED: Immediately call a POISON CENTER/doctor.

**P331** Do NOT induce vomiting.

**P405** Store locked up.

**P501** Dispose of contents/container in accordance with local/regional/national/international regulations.

## Supplemental hazard information

**EUH066** Repeated exposure may cause skin dryness or cracking.

Child-resistant fastening Yes

Tactile warning of danger Yes

**Hazardous ingredients for labelling** hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics  
white mineral oil (petroleum)

## 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances


Not relevant (mixture).

### 3.2 Mixtures

#### Description of the mixture

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC No 926-141-6	≥ 10	Asp. Tox. 1 / H304		

# Champion Valve Oil - CHV1M

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
white mineral oil (petroleum)	CAS No 8042-47-5  EC No 232-455-8	≥ 5	Asp. Tox. 1 / H304		

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Take off immediately all contaminated clothing.  
In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air.  
Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus.  
If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.

#### Following ingestion

Rinse mouth. Do not induce vomiting.  
Call a physician in any case.  
In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Notes for the doctor

None.

### 4.2 Most important symptoms and effects, both acute and delayed

Death following aspiration.

### 4.3 Indication of any immediate medical attention and special treatment needed

None.

# Champion Valve Oil - CHV1M

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

water spray, alcohol resistant foam, fire extinguishing powder, carbon dioxide (CO<sub>2</sub>)  
Co-ordinate firefighting measures to the fire surroundings

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

#### Hazardous combustion products

carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), gas/ vapor, toxic

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.  
Co-ordinate firefighting measures to the fire surroundings.  
Do not allow firefighting water to enter drains or water courses.  
Collect contaminated firefighting water separately.  
Fight fire with normal precautions from a reasonable distance.

#### Special protective equipment for firefighters

use suitable breathing apparatus

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Remove persons to safety.  
Ventilate affected area.  
Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.  
Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to clean up a spill

Collect spillage.  
Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

# Champion Valve Oil - CHV1M

---

## **Appropriate containment techniques**

Use of adsorbent materials.

## **Other information relating to spills and releases**

Place in appropriate containers for disposal.

Ventilate affected area.

## **6.4 Reference to other sections**

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes.

#### **Measures to prevent fire as well as aerosol and dust generation**

Use local and general ventilation.

Keep away from sources of ignition - No smoking.

#### **Specific notes/details**

None.

#### **Measures to protect the environment**

Avoid release to the environment.

#### **Advice on general occupational hygiene**

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Flammability hazards**

None.

#### **Incompatible substances or mixtures**

Incompatible materials: see section 10.

#### **Protect against external exposure, such as**

heat

#### **Consideration of other advice**

Keep away from food, drink and animal feeding stuffs.

#### **Ventilation requirements**

Provision of sufficient ventilation.

# Champion Valve Oil - CHV1M

## Specific designs for storage rooms or vessels

Store in a well-ventilated place. Keep cool.

## Packaging compatibilities

Keep only in original container.

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
GB	cycloalkanes (>C7)		WEL		800				EH40/2005
GB	normal and branched chain alkanes (>C7)		WEL		1,200				EH40/2005

#### Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
white mineral oil (petroleum)	8042-47-5	DNEL	164.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
white mineral oil (petroleum)	8042-47-5	DNEL	217.1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
white mineral oil (petroleum)	8042-47-5	DNEL	34.78 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
white mineral oil (petroleum)	8042-47-5	DNEL	93.02 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
white mineral oil (petroleum)	8042-47-5	DNEL	25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

# Champion Valve Oil - CHV1M

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
no information available	no information available	no information available

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Colour</b>	This information is not available
<b>Odour</b>	Characteristic
<b>Melting point/freezing point</b>	Not determined
<b>Boiling point or initial boiling point and boiling range</b>	Not determined
<b>Evaporation rate</b>	Not determined
<b>Flammability</b>	Not relevant (fluid)

# Champion Valve Oil - CHV1M

---

## Explosive limits

**Flash point** Not determined

**Auto-ignition temperature** Not determined

**PH (value)** Not determined

**Solubility(ies)** Not determined

## Partition coefficient

partition coefficient n-octanol/water (log value) This information is not available

Vapour pressure Not determined

## Density and/or relative density

Density Not determined

Particle characteristics No data available

## Other safety parameters

Relative self-ignition temperature for solids Not relevant  
(Fluid)

## 9.2 Other information

**Information with regard to physical hazard classes** Hazard classes acc. to GHS  
(Physical hazards):  
Not relevant

**Other safety characteristics** There is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



# Champion Valve Oil - CHV1M

## 10.5 Incompatible materials

oxidisers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification procedure

If not otherwise specified the classification is based on:

Ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Test data are not available for the complete mixture.

Acute toxicity of components of the mixture							
Name of substance	EC No	Exposure route	End-point	Value	Species	Method	Source
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	oral	LD0	>5,000 mg/kg	rat	OECD Guideline 401	ECHA
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	dermal	LD0	>2,000 mg/kg	rat	OECD Guideline 402	ECHA
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	inhalation: dust/mist	LC0	>5,600 mg/m <sup>3</sup> /4h	rat	OECD Guideline 403	ECHA
white mineral oil (petroleum)	232-455-8	oral	LD0	>5,000 mg/kg	rat	OECD Guideline 401	ECHA
white mineral oil (petroleum)	232-455-8	dermal	LD0	>2,000 mg/kg	rabbit	OECD Guideline 402	ECHA
white mineral oil (petroleum)	232-455-8	inhalation: dust/mist	LC0	>5 mg/l/4h	rat	OECD Guideline 403	ECHA

#### Skin corrosion/irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

# Champion Valve Oil - CHV1M

---

## **Serious eye damage/eye irritation**

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## **Respiratory or skin sensitisation**

### **Skin sensitisation**

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

### **Respiratory sensitisation**

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## **Germ cell mutagenicity**

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## **Carcinogenicity**

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## **Reproductive toxicity**

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## **Specific target organ toxicity - single exposure**

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## **Specific target organ toxicity - repeated exposure**

Classification could not be established because:  
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

## **Aspiration hazard**

May be fatal if swallowed and enters airways.

## **Other information**

Repeated exposure may cause skin dryness or cracking.

## **11.2 Information on other hazards**

There is no additional information.

### **Endocrine disrupting properties**

None of the ingredients are listed.

# Champion Valve Oil - CHV1M

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Based on available data, the classification criteria are not met.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	EC No	Endpoint	Value	Species	Method	Source	Exposure time
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	LL50	>1,000 mg/l	rainbow trout (Oncorhynchus mykiss)	OECD Guideline 203	ECHA	96 h
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	LL50	>10,000 mg/l	Chaetogammarus marinus	EPA OPPTS 850.1020	ECHA	48 h
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	EL50	>1,000 mg/l	daphnia magna	OECD Guideline 202	ECHA	48 h
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	EL50	>1,000 mg/l	algae (pseudokirchneriella subcapitata)	OECD Guideline 201	ECHA	72 h
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	EL50	>1,000 mg/l	Tetrahymena pyriformis	Qsar	ECHA	48 h
white mineral oil (petroleum)	232-455-8	LL50	>100 mg/l	rainbow trout (Oncorhynchus mykiss)	OECD Guideline 203	ECHA	96 h
white mineral oil (petroleum)	232-455-8	LL50	>100 mg/l	daphnia magna	OECD Guideline 202	ECHA	48 h

# Champion Valve Oil - CHV1M

## Aquatic toxicity (chronic)

No data available.

## Other information

Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
white mineral oil (petroleum)	8042-47-5	LOEL	<2,000 mg/kg	microorganisms		ECHA	93 d

## 12.2 Persistence and degradability

### Degradability of components of the mixture

Name of substance	EC No	Process	Degradation rate	Time	Method	Source
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	oxygen depletion	69 %	28 d	OECD Guideline 301 F	ECHA

### Biodegradation

Test data are not available for the complete mixture.

### Persistence

No data available.

## 12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## 12.6 Endocrine disrupting properties

None of the ingredients are listed.

## 12.7 Other adverse effects

Data are not available.

### Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

# Champion Valve Oil - CHV1M

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Completely emptied packages can be recycled.  
Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

14.1	UN number or ID number	Not assigned
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction
Key Oil	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3

#### Legend

- R3 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

# Champion Valve Oil - CHV1M

---

## Legend

2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

## List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

## Seveso Directive

Not assigned.

## Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

## Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

## Water Framework Directive (WFD)

None of the ingredients are listed.

## Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

## Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

## Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

# Champion Valve Oil - CHV1M

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.  
Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Asp. Tox.	Aspiration hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEL	Lowest Observed Effect Level
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

# Champion Valve Oil - CHV1M

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.

## Responsible for the safety data sheet

C.S.B. GmbH  
Düsseldorfer Str. 113  
47809 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0  
Telefax: +49 (0) 2151 - 652086 - 9  
e-Mail: info@csb-online.de  
Website: www.csb-online.de

## Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.