

# Roland Juno-DS61 Synthesizer Specifications

## KEYBOARD

---

Keyboard

---

61 keys (with velocity)

---

## SOUND GENERATOR

---

Maximum Polyphony

---

128 voices

---

Parts

---

16 parts

---

Preset Memory

---

- Patches: Over 1200
  - Drum kits: Over 30
  - Performances: 64
  - \* GM2 compatible sounds are included.
- 

User Memory

---

- Patches: 256
  - Drum kits: 8
  - Performances: 128
  - Favorites: 100
- 

Wave Expansion Slots

---

1 slot

\* The wave expansion slot is rewritable internal waveform memory. You can download data from the Axial sound library site and write it via a USB flash drive into the JUNO-DS's internal wave memory (slot).

---

## SAMPLE IMPORT FUNCTION

---

File Format

---

Audio file: WAV (44.1 kHz, 16 bits)

---

Effects

---

- Multi-effects: 3 systems, 80 types
- Chorus: 3 types
- Reverb: 5 types
- Mic input reverb: 8 types

---

## **AUDIO FILE PLAYER SECTION**

---

### File Format

---

Audio file: WAV, AIFF, MP3

---

## **OTHERS**

---

### Rhythm Pattern

---

Preset: 30 groups x 8

---

### Arpeggio

---

Preset: 128

---

### Controllers

---

Pitch bend/Modulation lever  
Control knob x 4  
Level slider x 4  
Multicolor pad x 8

---

### Display

---

Graphic LCD 256 x 80 dots

---

### External Storage Device

---

USB flash drive (supports USB 2.0 Hi-Speed flash memory)

---

### Connectors

---

PEDAL HOLD jack  
PEDAL CONTROL jack  
MIC INPUT jack: 1/4-inch phone type  
EXT INPUT jack: stereo miniature phone type  
OUTPUT jacks (L/MONO, R): 1/4-inch phone type  
PHONES jack: stereo 1/4-inch phone type  
MIDI connectors (IN, OUT)  
USB MEMORY port  
USB COMPUTER port (supports USB MIDI/AUDIO)  
DC IN jack

---

### Power Supply

---

DC 9 V: AC adaptor or rechargeable Ni-MH battery (AA, HR6) (sold separately) x 8

\* Battery life for continuous use (differs depending on the conditions of use)  
Rechargeable nickel metal hydride batteries: approximately 5 hours (when using batteries having a capacity of 1900 mAh) (approximately 4 hours if USB

flash drive is connected)

\* Carbon-zinc or alkaline batteries cannot be used

---

Current Draw

---

600 mA

---

Accessories

---

Owner's manual

Leaflet "USING THE UNIT SAFELY"

AC adaptor

Power cord

---

Options (sold separately)

---

Keyboard stand (\*1): KS-18Z, KS-12

Pedal switch: DP series

Expression pedal: EV-5

USB flash memory (\*2)

\*1 When using the KS-18Z, ensure that the height of the unit is one meter or lower.

\*2 Use USB Flash Memory (supports USB 2.0 Hi-Speed Flash Memory) sold by Roland. We cannot guarantee operation if other products are used.

---

**SIZE AND WEIGHT**

---

Width

---

1,008 mm

39-11/16 inches

---

Depth

---

300 mm

11-13/16 inches

---

Height

---

97 mm

3-7/8 inches

---

Weight (excluding AC adaptor)

---

5.3 kg

11 lbs. 12 oz.