



EVOX V15

PROFESSIONAL THREE-WAY COLUMN SYSTEM



Description

The EVOX V15 is a professional three-way active column loudspeaker designed to deliver clarity, output, and reliability in demanding live sound applications. A 1.75" compression driver on a 120° x 40° True Resistive Waveguide ensures wide, coherent coverage, while ten 4" midrange transducers deliver precise vocal definition. A high-power 15" woofer in a bass-reflex enclosure provides deep, controlled lows. Powered by a 3500 W dual-channel Class-D amplifier, the system achieves 133 dB SPL with touring-grade dynamics. Part of the EVOX Series, the V15 combines RCF transducer and DSP technology in a sleek format, offering natural sound and straightforward deployment for bands, DJs, and live events.

Features

- › 133 dB Max SPL
- › 3500 W Class-D Amplifier - Built-In DSP
- › 1.75" Neo Compression Driver - 120° X 40° True Resistive Waveguide
- › 10 X 4" Mid-Range Neo Transducers
- › 15" RCF Precision Low-Frequency Woofer
- › Enhanced Coverage And Clarity
- › Composite Column, Plywood Woofer Enclosure
- › PowerCon True1-TOP Mains Connector
- › Top Speaker Padded Carrying Bag Included

Part Number


13000949 EVOX V15	220-240 V	Black	EAN 8024530024154
13000980 EVOX V15	100-120 V	Black	EAN 8024530024192
13000989 EVOX V15 W	220-240 V	White - RAL 9003	EAN 8024530024512
13000990 EVOX V15 W	100-120 V	White - RAL 9003	EAN 8024530024529



EVOX V15

PROFESSIONAL THREE-WAY COLUMN SYSTEM

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	35 Hz - 20000 Hz
	Max SPL @ 1m	133 dB
	Horizontal coverage angle	120°
	Vertical coverage angle	40°
Transducers	Compression Driver	1 x 1.0" neo, 1.75" v.c
	Fullrange	10 x 4.0" neo, 1.0" v.c
	Woofer	15", 3.0" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	Combo XLR/Jack
	Output connectors	XLR
	Input sensitivity	+4 dBu
Processor section	Crossover Frequencies	160/1600 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Volume, Presets: LINEAR, LIVE, CLUB, VOICE
Power section	Total Power	3500 W Peak
	High frequencies	1500 W Peak
	Low frequencies	2000 W Peak
	Cooling	Convection
	Connections	Powercon TRUE1 TOP IN/OUT
Standard compliance	Safety agency	CE compliant



EVOX V15

PROFESSIONAL THREE-WAY COLUMN SYSTEM

Physical specifications	Cabinet/Case Material	Baltic birch plywood/PP Composite		
	Handles	One handle each side of the subwoofer		
	Grille	Steel		
	Color	Black, White - RAL 9003		
Size / Weight	Height	2223 mm / 87.52 inches		
	Width	410 mm / 16.14 inches		
	Depth	605 mm / 23.82 inches		
	Weight	44.4 kg / 97.89 lbs		
	ACCESSORIES			
Protections	COVERS			
	13360758 CVR60758	Black	EAN 8024530024550	
	13360786 CVR60786	Black	EAN 8024530025304	
Transportation	KART WITH WHEELS			
	13360763 CRT60763	Black	EAN 8024530025311	