Portable Speakers

MADRID TMS218B

Dual 18" Front Loaded Subwoofer for Portable PA and Installation Applications

- Front loaded subwoofer for portable PA and installation applications
- 1,600 Watts continuous,
 6,400 Watts peak power
- Ideal for FOH, side and drum fill applications
- Carbon fibre loaded
 18" low frequency drivers with inside/outside wound coil
- Low distortion bass reflex port design
- 18 mm (¾") birch plywood enclosure with hard wearing semi matt black paint finish
- Rugged powder coated perforated steel mesh grille
- Durable handles for easy lifting and carrying
- Neutrik speakON* NL4 connectors for reliable long life operation
- 3-Year Warranty Program**
- Designed and engineered in England

*All third-party trademarks are the property of their respective owners. Their use neither constitutes a claim of the trademark nor affiliation of the trademark owners with MUSIC Group. Product names are mentioned solely as a reference for compatibility, effects and/or components.

**Warranty details can be found at music-group.com.

The 6,400-Watt TMS218B is a front loaded dual 18" subwoofer system designed for a wide range of music and live sound reinforcement applications. Engineered to work in conjunction with TURBOSOUND loudspeaker management systems, the TMS218B provides optimal FOH performance, as well as exceptional drum and side fill monitoring duties.

 \bigcirc



A bass reflex port design enclosure, with a high powered carbon fibre loaded 18" low frequency driver that utilizes a specialised voice coil wound on both the inside and outside of the coil former for higher magnetic density, better heat dissipation, high power handling capacity, and improved efficiency. The TMS218B subwoofer provides fast and accurate transient response for virtually distortion-free operation – even in the most demanding performances.

Finished in a highly durable semi matt black paint, the cabinet is constructed from 18 mm (³/₄") birch plywood – and includes a rugged powder coated perforated steel mesh grille backed with reticulated foam, and durable carry handles that are strategically placed for easy transport. The rear panel connector plate carries Neutrik speakON* NL4 connectors, with switchable input and link connections to accommodate standalone subwoofer applications, or subwoofer and satellite speaker connectivity via 4 core speaker cabling.




Portable Speakers


MADRID TMS218B

Dual 18" Front Loaded Subwoofer for Portable PA and Installation Applications

Frequency Response Sensitivity 1 W / 1 m



Impedance







Portable Speakers

MADRID TMS218B


Dual 18" Front Loaded Subwoofer for Portable PA and Installation Applications

Dimensions







BOTTOM







SIDE



BACK



Portable Speakers

MADRID TMS218B

Dual 18" Front Loaded Subwoofer for Portable PA and Installation Applications

Technical Specifications

System	
Frequency Response	33 Hz – 200Hz ±3 dB
	27 Hz – 200 Hz -10 dB
Nominal Dispersion	Half space
Power Handling (IEC)	1,600 W continuous, 6,400 W peak
Sensitivity	100 dB
Maximum SPL	132 dB continuous, 138 dB peak
Impedance	4 Ω
Components	2 x 18" (460 mm) LF drivers

Connectors	2 x Neutrik speakON* NL4
Wiring	
Switch position 1	Pins 1+ / 1- input, pins 2+ / 2- link
Switch position 2	Pins 1+ / 1- link, pins 2+ / 2- input
Dimensions HWD	1,067 x 602 x 838 mm (42.0 x 23.7 x 33.0")
Net Weight	82.3 Kg (181.1 lbs)
Construction	18 mm (¾") birch plywood
Finish	Semi matt black paint
Grille	Powder-coated perforated steel



Portable Speakers

MADRID TMS218B

Dual 18" Front Loaded Subwoofer for Portable PA and Installation Applications







Portable Speakers

MADRID TMS218B

Dual 18" Front Loaded Subwoofer for Portable PA and Installation Applications





Portable Speakers

MADRID TMS218B

Dual 18" Front Loaded Subwoofer for Portable PA and Installation Applications





For service, support or more information contact the TURBOSOUND location nearest you:

Europe MUSIC Group Services UK Tel: +44 156 273 2290 Email: CARE@music-group.com USA/Canada MUSIC Group Services NV Inc. Tel: +1 702 800 8290 Email: CARE@music-group.com Japan MUSIC Group Services JP K.K. Tel.: +81 3 6231 0454 Email: CARE@music-group.com

MUSIC Group accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. MIDAS, KLARK TEKNIK, TURBOSOUND, BEHRINGER, BUGERA and DDA are trademarks or registered trademarks of MUSIC Group IP Ltd. & MUSIC Group IP Ltd. WIMSIC All rights reserved.

