

OWNER'S MANUAL

CH-3 CHORUS



nux

www.nuxefx.com

Thank you for purchasing this nux CH-3 chorus. Please read this manual carefully before using the device.

Precaution


Before using this unit please read the SAFETY INSTRUCTIONS and the IMPORTANT NOTICE TO CUSTOMERS carefully.

Installing The Battery

A battery is supplied with the unit. Connect the snap cord to the battery and insert the battery as shown in the drawing. When the battery runs down the sound will change. In

such case please replace with new battery.

The power comes on when you insert the plug into the INPUT jack. The use of an AC adaptor is recommended as the unit's power consumption is relatively high.



Overview

- Very high quality effect with flexible function.
- Adapted low noise BBD in delay circuit, natural and clear sound.
- True bypass hardware switching.
- LED indicator shows status of effect and battery condition.
- The pedal can be powered by a battery or an optional AC adaptor.


Specifications

- Input impedance: 1M Ohms
- Output impedance: 10K Ohms
- Power: 9V battery or external AC adaptor delivering 9V DC regulated minimum 300mA
(⊖ — ● — ⊕)
- Dimensions: 121(L) X 77(W) X 48(D) mm
- Weight: 230g

Accessories

- 9V battery
- Owner's manual

Product Interface



1. POWER IN

CH-3 requires 9V DC/300 mA with center negative. Use the power supply with identical specifications.

2. DEPTH KNOB

Control the amount of sweep deviation.

3. BLEND KNOB

Control the amount of chorus effect signal.

4. SPEED KNOB

Varies sweep rate.

5. OUTPUT

Connect the OUTPUT of the pedal to your guitar amplifier or the Input of the other effects unit.

6. INPUT

Connect the INPUT of the pedal to your guitar or some other effects unit with a 1/4-inch mono phone plug.

7. LED Indicator

Lights up when the pedal is enabled.

8. ON/OFF Switch

This footswitch is used to turn effect on/off.

1. Do not place near heat sources, such as radiators, heat registers, or appliances which produce heat.
2. Guard against objects or liquids entering the enclosure.
3. Refer all servicing to qualified service personnel.
4. Prolonged listening at high volume levels may cause irreparable hearing loss and/or damage. Always be sure to practice "safe listening".

**Follow all instructions and heed all warnings
KEEP THESE INSTRUCTIONS!**

WARNING!-IMPORTANT SAFETY INSTRUCTIONS BEFORE CONNECTING, READ INSTRUCTIONS

WARNING: To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.

CAUTION: To reduce the risk of fire or electric shock, do not remove screws. No user-serviceable parts inside. Refer servicing to qualified service personnel.



The lightning symbol within a triangle means "electrical caution!" It indicates the presence of information about operating voltage and potential risks of electrical shock.



The exclamation point within a triangle means "caution!" Please read the information next to all caution signs.

THE FCC REGULATION WARNING (for U.S.A.)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

CE mark for European Harmonized Standards

CE Mark which is attached to our company's products of Battery mains the product is in fully conformity with the harmonized standard(s) EN 61000-6-3:2007+A1:2011 & EN 61000-6-1:2007 Under the Council Directive 2004/108/ EC on Electromagnetic Compatibility.



www.nuxefx.com

Made in China

©2012 Cherub Technology-All rights reserved. No part of this publication may be reproduced in any form without prior written permission of Cherub Technology.