
INSPIRE iP500

600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

- Modular column loudspeaker for portable PA applications and high quality music playback
- KLARK TEKNIK's revolutionary SST (Spatial Sound Technology) for creating 3D acoustic environments
- Extremely wide sound dispersion provides consistent sound to the audience and performers
- 600 Watt power, multi-channel KLARK TEKNIK Class-D technology
- 3 channel digital mixer with gain setting recall
- Comprehensive remote control via Apple iPhone/iPad*
- High quality Bluetooth* stereo audio streaming
- DSP presets for application type and speaker positioning
- Intuitive single rotary control user interface with LCD display for ease of navigation
- 8" high excursion low frequency driver for low distortion sub-bass response
- 6 x 2" neodymium drivers with edge wound aluminium voice coils for extended high frequency reproduction
- Multiple height configurations for floor or elevated use
- Precision-lock system eliminates speaker cables and stands
- High impact and lightweight enclosure





neodymium drivers, the iP500 is ideally-suited for small to medium-sized performance venues, houses of worship, boardroom presentations, nightclubs, and much more.

Weighing in at a very modest 15 kg (33 lbs), the iP500 is easy to transport and features industry-leading KLARK TEKNIK Digital Sound Processing (DSP), Class-D amplifier and Spatial Sound technologies – plus convenient Bluetooth stereo audio streaming and iPhone/iPad remote control.






iNSPIRE iP500

600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

- Integrated protective perforated steel mesh grilles
- Integral ergonomic carrying handle for ease of portability
- Durable shoulder bag included for carrying column sections
- 3-Year Warranty Program*
- Designed and engineered in England



Tiny PA – 600 Watts of Perfect Sound

Designed for maximum portability, iP500's column sections and subwoofer fit neatly into their included carry bags, and setup is fast and easy; just attach the column section(s) to the base and connect your mic or mixer feed and power. Our revolutionary Class-D amplifier technology provides 600 Watts of incredible sonic performance in an easy-to-use, ultra-portable and lightweight package. This amazing technology makes it possible to design and build extremely powerful products that are significantly lighter in weight than their traditional counterparts, while using less energy and protecting the environment.

The lightweight Switch Mode Power Supply, coupled with an industry-leading DSP module, provides dynamic equalisation and sophisticated limiting functions to ensure optimal performance and long-term reliability. The powerful iP500 fills the room with the world-famous TURBOSOUND "sound" that has won the coveted Queen's Award – an unprecedented three times.

Outstanding Sound Dispersion

Much like the huge line array systems you've experienced at concerts and outdoor festivals (we make those too), the 2" neodymium midrange / extended high-frequency drivers in the iP500 columns are strategically placed to provide up to a 100° horizontal dispersion pattern. Such wide coverage eliminates the need for monitor wedges for the performers and creates a more even, sonically balanced soundscape that covers the entire room. By taking advantage of the arrival-time differential between sound waves reaching the left and right ears, iP500's groundbreaking Spatial Sound Technology (SST) creates a



wide, well-defined virtual 3-D acoustic environment, enveloping the listener in a richer and more realistic experience. No matter where you sit, the location of the onstage voices and instruments are perceived in their rightful position within the soundscape, for a performance that is beautifully open and transparent – with unparalleled intelligibility.





inspire ip500

600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



KLARK TEKNIK - Inspired Technology

KLARK TEKNIK is recognised worldwide as one of the most prestigious British audio companies, with a 40-year pedigree and even a TEC Lifetime Achievement Award to back it up. The Company has designed and manufactured products for world-class artists, and their legendary DN780 reverb processor is considered by leading audio engineers around the world as the industry standard. Check out their website to learn more about KLARK TEKNIK's legendary heritage.

TURBOSOUND is proud to incorporate custom-engineered KLARK TEKNIK Class-D amplifier and DSP technologies into their products.

DSP - The Secret to Superb Sound

From the instant your signal enters the iP500, the built-in DSP takes over ensuring the highest possible signal integrity. Much more than just selective EQ enhancement, the 24-bit processor analyses the incoming signal and intelligently applies specific filters to actually improve the sound quality. It's like having an audio engineer monitoring the input and output signals, dialing in the perfect EQ and constantly making subtle adjustments to the crossover, compressor/limiter, three discrete amplifier channels and more – all of which adds up to significantly better sound.





Custom-Engineered Drivers

Our speakers are designed specifically for each application – it's what sets us apart from the competition. When you buy a TURBOSOUND speaker system, you can rest assured that the speakers inside have been engineered to perform flawlessly in conjunction with every other element for truly professional results.



inspire ip500


600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Built-in Digital Mixer – Comprehensive Remote Control

The iP500 features a fully addressable onboard digital mixer with two combo jack/XLR connectors that accept balanced and unbalanced connections for dynamic mics and line-level instruments. The simple and intuitive user interface consists of a single rotary push-encoder with Process, Setup, Exit and Enter function buttons. A beautifully-backlit display controls DSP functions including mixer parameters, 3 band EQ, and presets. All settings can be controlled locally, or via free downloadable iPhone/iPad apps – and locked down to prevent unauthorised access.

We take Bluetooth a step further, giving you total control of the iP500 directly from your iPhone or iPad. This amazing feature lets you adjust all settings from either the listening area or the stage, for the perfect sound every time. The dedicated apps are available free of charge at turbosound.com, or from the Apple App Store.





Bluetooth Ready

The days of tape decks, CD and even mp3 players are long gone. Now your music lives on your smartphone or computer tablet, so you can stop searching for those outdated cables and fancy adapters. An industry first, the iP500 puts all your music at your fingertips via stereo Bluetooth. Now with a simple wave of your hand, you can stream music from any Bluetooth-equipped iOS device, such as your iPad, iPod touch, iPhone – or even your laptop computer.

Stunning Performance – Superb Value

The INSPIRE iP500 active PA loudspeaker stands head and shoulders above the rest of the pack and delivers exceptional performance, even when pushed to the limit. Ultra-lightweight and powerful with custom-designed transducers, an integrated mixer, stereo Bluetooth streaming, iPhone/iPad remote control, 600 Watts of Class-D output power and Digital Sound Processing, the iP500 is ideal for both portable and installed applications – at a price unheard of in this class.

Experience the iP500 at your local dealer today, or get yours online today – and let TURBOSOUND take your performance to the next level!





inspire ip500

600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



You Are Covered


We always strive to provide the best possible Customer Experience. Our products are made in our own MUSIC Group factory using state-of-the-art automation, enhanced production workflows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous 3-Year Warranty program.



iNSPIRE iP500

600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming


Frequency Response Sensitivity 1 W / 1 m





600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming


Horizontal Beamwidth








600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming


Horizontal Polar Plots















600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Dimensions







600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Technical Specifications

System	
Frequency response	65 Hz – 14 kHz ±3 dB
	50 Hz — 16 kHz -10 dB
Nominal dispersion	100° H @ -6 dB points
Maximum SPL	118 dB
Crossover type	2 way, active
Transducers	1 x 8" (208 mm) LF driver
	6 x 2" (54.2 mm) HF drivers
Limiter	Independent HF, LF

Amplifier		
Maximum output power*	600 W	
Туре	LF: Class-D	
	HF: Class AB	
Protection	Short circuit, open circuit, thermal	
Amplifier channels	2	

2 x combo jack / XLR
4 dBu
16 k Ω unbalanced, 33 k Ω balanced
+22 dBu
XLR
IEC mains connector with integrated power switch

Controls	
Hardware	Rotary push-encoder
Software	iOS interface via Bluetooth

User DSP Functions	
Factory EQ presets	Positioning, sound mode
Display	LCD 128 x 32, blue, backlit
Equalisation	Bass, middle and treble
Protection	Lock-out function for all settings

Bluetooth Wireless Technology	
2402 MHz ~ 2480 MHz	
79	
.,	
Bluetooth 4.0 dual mode	
8 dBM	
Supports A2DP 1.2 profile	
30 m (without interference)	
Master-slave: stereo pairing link	

Power Supply	
Power consumption	80 W @ 1/8 max power
Voltage (fuses)	
USA / Canada / Japan	100-120 V~, 50/60 Hz (T 6.3 A H 250 V)
UK / Australia / Europe	220-240 V~, 50/60 Hz (T 3.15 A H 250 V)
Korea / China	220-240 V~, 50/60 Hz (T 3.15 A H 250 V)



iNSPIRE iP500

600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Enclosure	
Dimensions (H x W x D)	2006 x 321 x 400 mm (79.0 x12.6 x 15.7")
Base	416 x 321 x 400 mm (16.4 x 12.6 x 15.7")
Tower	918 x 132 x 72 mm(36.1 x 5.2 x 2.8")
Net weight	15.1 kg (33.2 lbs)
Construction, base	Engineering plastic (GXPP)
Construction, tower	Engineering plastic (ABS)
Finish	Semi matt black paint
Grille	Powder coated perforated steel

Accessories

Protective cover (included)



iNSPIRE iP500





iNSPIRE iP500





iNSPIRE iP500





iNSPIRE iP500











inspire ip500

600 Watt Powered Column Loudspeaker with a 8" Subwoofer, 6 Neodymium Drivers, KLARK TEKNIK Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming





For service, support or more information contact the TURBOSOUND location nearest you:

Europe MUSIC Group Services UK Tel: +44 156 273 2290 Email: CARE@music-group.com USA/Canada MUSIC Group Services NV Inc. Tel: +1702 800 8290 Email: CARE@music-group.com Japan MUSIC Group Services JP K.K. Tel: +81 3 6231 0454 Email: CARE@music-group.com

